

Molecular Cell Research

Vol. 1312, 1996



Cumulative Contents

Regular section		Subsection	
Información for Contributor		Short sequence-paper	
Information for Contributors	vii	cDNA cloning and characterization of rat Clk3, a LAMMER kinase predominately expressed in	
Regular papers		testis W. Becker, H. Kentrup, J. Heukelbach and HG. Joost (Germany)	63
Complete inhibition of poly(ADP-ribose) polymerase activity prevents the recovery of C3H10T1/2 cells		Regular papers	
from oxidative stress G.M. Shah, D. Poirier, S. Desnoyers, S. Saint- Martin, JC. Hoflack, P. Rong, M. ApSimon, J.B.		Pioglitazone attenuates the inhibitory effect of phor- bol ester on epidermal growth factor receptor autophosphorylation and tyrosine kinase activity	
Kirkland and G.G. Poirier (Canada)	1	Y. Takata, T. Imamura, G.H. Yang, Y. Takada, T.	
Induction of murine erythroleukemia cell differentia- tion is associated with methylation and differen-		Sawa, H. Morioka and M. Kobayashi (Japan) Kinetics and specificity of human B-cell glucoki-	68
tial stability of poly(A) ⁺ RNA transcripts I.S. Vizirianakis and A.S. Tsiftsoglou (Greece)	8	nase: relevance to hexose-induced insulin release	73
Neuronal differentiation of embryonic stem cells	0	A. Sener and W.J. Malaisse (Belgium)	13
W.G. Van Inzen, M.P. Peppelenbosch, M.W.M. Van den Brand, L.G.J. Tertoolen and S.W.		Regular section	
De Laat (The Netherlands)	21		
Serum-starvation induces the extracellular appearance of FGF-1		Regular papers	
J.T. Shin, S.R. Opalenik, J.N. Wehby, V.K. Mahesh, A. Jackson, F. Tarantini, T. Maciag and		Calcium efflux mechanism in sperm mitochondria H. Breitbart, S. Rubinstein and M. Gruberger	=0
J.A. Thompson (USA) Topological organization of the cytosolic activating complex of the superoxide-generating NADPH-oxidase. Pinpointing the sites of interaction be-	27	(Israel) Identification of sites on epidermal growth factor receptors which are phosphorylated by pp60src in vitro	79
tween p47phox, p67phox and p40phox using the two-hybrid system		J.D. Wright, C.W.M. Reuter and M.J. Weber (USA)	85
A. Fuchs, MC. Dagher, J. Fauré and P.V. Vignais (France)	39	Highly-expressed \$100A3, a calcium-binding pro- tein, in human hair cuticle	
Evidence for a link between translocation and processing during protein import into soybean mito-chondria	37	K. Kizawa, H. Uchiwa and U. Murakami (Japan) Expression of cytidine deaminase in human solid tumors and its regulation by $1\alpha,25$ -dihydroxy-	94
J. Whelan, M.R. Tanudji, M.K. Smith and D.A. Day (Australia)	48	vitamin D ₃ SI. Watanabe and T. Uchida (Japan)	99
Evidence for coordinated regulation of osteoblast function by 1,25-dihydroxyvitamin D_3 and parathyroid hormone		Gastric chief cells possess NK ₁ receptors which mediate pepsinogen secretion and are regulated by agents that increase cAMP and phospholipase C	
J.P.T.M. Van Leeuwen, J.C. Birkenhäger, G.C.M. Van den Bemd and H.A.P. Pols (The Netherlands)	55	Y. Kitsukawa, R.J. Turner, T.K. Pradhan and R.T. Jensen (USA)	105
run den Dema una 11.7.1. 1 Oto (1 ne l'etneranas)	33	Jensen (USA)	100

Type II transglutaminase expression in rabbit articu- lar chondrocytes in culture: relation with cell differentiation, cell growth, cell adhesion and cell apoptosis		Human immunodeficiency virus type-1 (HIV-1) in- fection increases the sensitivity of macrophages and THP-1 cells to cytotoxicity by cationic lipo- somes	
L. Borge, S. Demignot and M. Adolphe (France)	117	K. Konopka, E. Pretzer, P.L. Felgner and N.	
Alteration of glutathione transferase subunits composition in the liver of young and aged rats submit-	***	Düzgüneş (USA) Biological activity of 26-succinylbryostatin 1	186
ted to hypoxic and hyperoxic conditions C. Di Ilio, S. Angelucci, T. Bucciarelli, A. Pennelli, R. Petruzzelli, C. Di Giulio, M. Miranda, F.		G.S. Bignami, F. Wagner, P.G. Grothaus, P. Rustagi, D.E. Davis and A.S. Kraft (USA) Controlled overexpression of selected domains of the	197
Amicarelli and P. Sacchetta (Italy) Glucagon-like peptide-1(7-36)amide enhances in-	125	P85 subunit of phosphatidylinositol 3-kinase reverts v-Ha-Ras transformation	
sulin-stimulated glucose uptake and decreases in- tracellular cAMP content in isolated rat adipocytes		QX. Zhang, I.D. Davis and G.S. Baldwin (Australia)	207
H. Miki, M. Namba, T. Nishimura, I. Mineo, T. Matsumura, Ji. Miyagawa, H. Nakajima, M. Kuwajima, T. Hanafusa and Y. Matsuzawa (Japan)	132	The plasma membrane NADH-diaphorase is active during selective phases of the cell cycle in mouse neuroblastoma cell line NB41A3. Its relation to cell growth and differentiation	
Biphasic modulation of cell growth by recombinant		R. Zurbriggen and JL. Dreyer (Switzerland)	215
human galectin-1		Phenylarsine oxide and vanadate: apparent paradox	
L. Adams, G.K. Scott and C.S. Weinberg (New Zealand)	137	of inhibition of protein phosphotyrosine phospha- tases in rat adipocytes	
Diadenosine polyphosphates regulate cytosolic cal-		J. Li, G. Elberg and Y. Shechter (Israel)	223
cium in human fibroblast cells by interaction with P _{2x} purinoceptors coupled to phospholipase C		Expression of the human RAD51 gene during the cell cycle in primary human peripheral blood	
M. Tepel, S. Löwe, JR. Nofer, G. Assmann, H.	145	lymphocytes	
Schlüter and W. Zidek (Germany) Potentiation of the introcallular Co ²⁺ response to	145	J. Flygare, F. Benson and D. Hellgren (Sweden,	221
Potentiation of the intracellular Ca ²⁺ response to arginine vasopressin by increased cytosolic-free Mg ²⁺ in rat vascular smooth muscle cells		 UK) Measurement of endosome pH following folate receptor-mediated endocytosis 	231
M. Yoshimura, T. Oshima, H. Matsuura, T. Ishida,		R.J. Lee, S. Wang and P.S. Low (USA)	237
M. Kambe and G. Kajiyama (Japan)	151		
Subsection		Subsection	
Localization of mRNA for the muscarinic M1 receptor in rat stomach K.G. Helander, K. Bamberg, G. Sachs, D. Melle		Structure and expression of the promoter for the R4/ALK5 human type I transforming growth factor- β receptor: regulation by TGF- β	
and H.F. Helander (USA, Sweden)	158	B.B. Bloom, D.E. Humphries, PP. Kuang, A.	
Alterations in macrophage G proteins are associated		Fine and R.H. Goldstein (USA)	243
with endotoxin tolerance		Characterization of adenylyl cyclase stimulated by	
M. Makhlouf, S.H. Ashton, J. Hildebrandt, N. Mehta, T.W. Gettys, P.V. Halushka and J.A. Cook		VIP in rat and mouse peritoneal macrophage membranes	
(USA)	163	D. Pozo, J.J. Segura, I. Carrero, L.G. Guijarro,	
Phosphatase 2A regulates the responsiveness of ol- factory cilia	1.00	J.C. Prieto and J.R. Calvo (Spain) Phorbol ester-induced shedding of intercellular adhe-	249
C. Kroner, I. Boekhoff and H. Breer (Germany)	169	sion molecule-1 . (ICAM-1) on erythroleukemic K 562 cells	
Regular section		S. Fritz, F. Striggow, D. Reinhold, T. Schlüter, P. Schönfeld, S. Ansorge and R. Bohnensack	
Information for Contributors	v	(Germany)	255
Structural requirements for intracellular transport of pulmonary surfactant protein B (SP-B) S. Lin, K.S. Phillips, M.R. Wilder and T.E. Weaver		Cumulative Contents, Vol. 1312	263
(USA)	177	Author Index	265

